


AC-DC  
90W ZPR90



90- 305VAC 100- 430VDC

87\*52\*30mm

0.35W

/ / /

-40 to +85

4kV CLASS

100%

3

**RoHS CE REACH**

ZPR90 90W 0.1mA  
87\*52\*30mm 4kV EMC EMC CI SPR32/EN62368 UL62368/EN62368

ZPR 90 - S 12 A  
1 2 3 4 5

1. ZPR AC/DC  
2. 90  
3. S Single ( )  
4. 12  
5. A


		(W)	(V)	(A)	& (mVp-p)	(%)
ZPR90-S12	90- 305VAC 100- 430VDC	80	12	6.66	80	87
ZPR90-S15		85	15	5.66	80	88
ZPR90-S24		90	24	3.75	100	88
ZPR90-S48		90	48	1.87	100	90

AC-DC		
		± 2.0%
		± 1.0%
		± 1.0%
	( )	1000ms 50ms/230VAC 2000ms 30ms/115VAC
	( )	40ms/230VAC 10ms/115VAC
	& ( ) 2	12/15V 130mV 24/48V 150mV
		90-305VAC 100-430VDC
		100-277VAC
		47-440Hz
	( )	1.5A/115VAC 0.9A/230VAC
	( )	60A/230VAC
		T2A/250V
	( )	0.1mA/265VAC/50Hz



引脚 功

A



mm [inch]

$\pm 0.10$  [ $\pm 0.004$ ]

$\pm 0.5$ mm

AC-DC  
90W ZPR90



sal es@oeygo. net



+86(20) 3214 4470



51 E